THE HIGHEST PRODUCERS OF NITRIC OXIDE THAT ANTI-AGE THE BODY.

3rd GENERATION FORMULATIONS BASED ON THE WORK BY THE WORLDS #1 ARGININE SCIENTIST DR. RAINER H. BÖGER, MD



Nitric Oxide Plus 800% to 1200% more Nitric Oxide than 99% of all products.



Heart Wellness Nitric Oxide producer, repairs heart muscle, cleans vessels.



Cardio Wellness
Reduces blood pressure,
cleans vessels, Nitric Oxide
producer, addresses dementia.
















89 Research Verified, Benefits of L-Arginine

Prevent, halt and reverse cardiovascular disease, anti-age the body and stop free radical damage to the body and vessels.



DISCOVERY: Nitric Oxide (NO) is created systemically by an organ in the body from L-Arginine, which is made from protein rich foods.

This scientific discovery received the 1998 Nobel Prize in Medicine due to the fact that NO is recognized as an extremely important contributor to good health and longevity.

As we age, our Nitric Oxide producing system breaks down and we produce less and less Nitric Oxide (NO). This breakdown is a risk to our health and well-being.



Nitric Oxide Plus, Cardio Wellness, and Heart Wellness are scientifically formulated, all natural supplements, made from L-Arginine and other nutraceuticals. These formulas are designed to naturally increase Nitric Oxide production in the blood and are based on the scientific research shown here as well as the more than 29 years of further study and analysis by Dr. Rainer Boger, MD. (Researcher, Scientist, Professor of Medicine)

We've created 3 unique, potent and all natural formulas to improve cardiovascular health as well as many other health needs.

The therapeutic benefits of L-Arginine producing Nitric Oxide have been validated by thousands of scientific studies. Let's take a look at them here...

(The following report, which is backed up by incredible scientific research, shows the many health benefits of L-Arginine in the human body. Herewith, are 89 different arginine health benefits from thousands of studies over many years along with their scientific references).

L-Arginine is a semi-essential amino acid produced in the liver and found in protein rich foods like fish and red meat. Medical research performed by Dr. Rainer Boger, MD, a 29-year cardiovascular disease researcher, has established that taking 2 doses of 6,000 mgs of Arginine/Citrulline each day about 12 hours apart, produces at least 4 times, and as much as 8 times more Nitric Oxide than any other product on the market.

Dr. Boger has derived many scientific discussions from these studies and from his own research. He has published over 100 peer reviewed scientific studies on Arginine and Cardiovascular Disease. He is the #1 researcher in the world on this subject. Go to www.cardioandheartwellness.com to learn more.

Here are the 89, Research Verified, Benefits of L-Arginine

Aging Process

1) L-Arginine inhibits one of the primary mechanisms of the aging process (it inhibits the process of cross-linking). 2) L-Arginine increases the release of the human growth hormone (HGH) (also known as the anti-aging hormone) from the pituitary gland.

Cardiovascular System

3) L-Arginine improves blood circulation, improves exercise capacity and facilitates vasodilation in angina patients. 4) L-Arginine helps to prevent atherosclerosis and reduces the severity of existing atherosclerosis. 5) L-Arginine inhibits the adhesion of monocytes to the endothelium (an underlying event in the course of atherosclerosis). 6) L-Arginine improves blood circulation (by stimulating the production of nitric oxide, an endogenous neurotransmitter that helps to prevent vasoconstriction and which initiates vasodilation by relaxing the smooth muscle cells of the blood vessels). 7) L-Arginine helps to prevent abnormal blood clotting (by stimulating the production of plasmin and by increasing vasodilation). 8) L-Arginine helps to prevent free radical induced damage to the lining of blood vessels (by enhancing the production of nitric oxide in blood vessels). 9) L-Arginine significantly

89 Research Verified, Benefits of L-Arginine

increases stroke volume and cardiac output (without effect on heartbeat rate) in congestive heart failure patients. It also increases vasodilation (leading to increased blood circulation) in congestive heart failure patients. 10) L-Arginine reverses consequences of coronary heart disease. 11) L-Arginine lowers blood pressure in some hypertension patients (by facilitating the body's production of nitric oxide (NO) and by inhibiting the angiotensin converting enzyme (ACE). 12) L-Arginine reverses adverse effects of high blood pressure. 13) L-Arginine decreases high blood pressure. 14) L-Arginine reduces pulmonary blood pressure and improves blood circulation in pulmonary hypertension patients. 15) L-Arginine increases walking distance in intermittent claudication patients. 16) L-Arginine restores normal endothelial function in hypercholesterolemia. 17) L-Arginine improves walking distance in peripheral vascular disease. 18) L-Arginine improves outcome after bypass surgery. 19) L-Arginine reduces blood clots and strokes. 20) L-Arginine helps prevent restenosis after angioplasty and bypass. 21) L-Arginine may give protection against damaging effects of heart attack. 22) L-Arginine improves endothelial dysfunction in chronic heart failure patients. 23) L-Arginine improves peripheral vascular disease.

Digestive System

24) L-Arginine deficiency can cause constipation. L-Arginine supplementation may decrease the incidence of gallstones. L-Arginine reduces intestinal permeability (due to L-Arginine's role in the production of nitric oxide). 25) L-Arginine alleviates many cases of ulcerative colitis (by promoting the healing of the ulcers that occur in the colon of ulcerative colitis patients). 26) L-Arginine may improve irritable bowel syndrome (IBS). 27) L-Arginine reduces ulcers. 28) L-Arginine helps prevent post surgical damage after intestinal manipulation. 29) L-Arginine improves the outcome in sepsis patients.

Excretory System

30) L-Arginine alleviates the pain and discomfort associated with interstitial cystitis. 31) L-Arginine significantly improves the function of the kidneys and helps to prevent age-related degradation of the kidneys.

Immune System

32) L-Arginine helps to prevent bacterial & viral diseases in persons with suppressed immune systems. 33) L-Arginine blocks the formation of some forms of cancer (L-Arginine inhibits the cellular replication of 24 different types of cancer in animals). 34) L-Arginine boosts the ability of the immune system to fight breast cancer. 35) L-Arginine lowers tumor protein synthesis and tumor growth rate in liver cancer. 36) L-Arginine inhibits the further growth of some types of sarcomas. One of the means by which L-Arginine counteracts cancer is by reducing the activity of ornithine decarboxylase, an enzyme that is associated with some types of cancer. *CAUTION: L-Arginine is also speculated to exacerbate some types of cancer, however this is just a theory. 37) L-Arginine improves the outcome

89 Research Verified, Benefits of L-Arginine

of cancer treatment. 38) L-Arginine (in non-excessive quantities) stimulates numerous aspects of the immune system. 39) L-Arginine stimulates the production of helper T-cells. 40) L-Arginine stimulates activity and production of lymphocytes by the thymus gland. 41) L-Arginine increases the activity (cytotoxicity) of NK lymphocytes. 42) L-Arginine stimulates the production of T-lymphocytes within the thymus and makes them more active and effective. 43) L-Arginine increases the size of the thymus, stimulates the production of lymphocytes by the thymus and restores the production of thymic hormones to youthful levels. 44) L-Arginine helps to counteract inflammation.

45) L-Arginine accelerates the ability of the immune system to recover from surgery. 46) L-Arginine improves sickle cell disease.

Metabolism

47) Alkalosis can occur as a result of L-Arginine deficiency. 48) L-Arginine exerts antioxidant effects that scavenge superoxide free radicals. 49) L-Arginine lowers total serum cholesterol levels. 50) L-Arginine lowers serum low-density lipoprotein (LDL) levels. 51) L-Arginine inhibits the process of cross-linking. 52) L-Arginine reduces insulin resistance and improves blood sugar disposal in diabetes type 2 patients. 53) L-Arginine reduces insulin resistance. 54) L-Arginine improves diabetes and reverses damage caused by diabetes. 55) L-Arginine may prevent diabetes. 56) L-Arginine increases oxygen uptake in the lungs in persons with hypoxia (due to its role in the production of nitric oxide, which improves blood circulation via vasodilation). 57) L-Arginine increases oxygen uptake in the lungs in persons with altitude sickness (due to its role in the production of nitric oxide, which in turn improves blood circulation via vasodilation). 58) L-Arginine improves asthma. 59) L-Arginine helps to detoxify the liver and alleviates cirrhosis. Liver malfunction can occur as a result of L-Arginine deficiency. 60) L-Arginine lowers elevated serum triglyceride levels. 61) L-Arginine alleviates obesity and facilitates weight loss (by stimulating the release of human growth hormone (HGH) from the pituitary gland).

Musculoskeletal System

62) L-Arginine facilitates the healing of fractures. 63) L-Arginine facilitates muscle growth (by inhibiting muscle loss) and is required for the transport of the nitrogen used in muscle metabolism. 64) Muscle weakness can occur as a result of L-Arginine deficiency. 65) L-Arginine may prevent and alleviate osteoporosis (by stimulating the release of human growth hormone (HGH) which is an important mediator of bone formation and bone turnover; it also stimulates nitric oxide synthesis which is a potent inhibitor of the osteoclasts that cause the resorption of bone). 66) As a precursor for nitric oxide production, I-L-Arginine causes the relaxation of smooth muscle. 67) L-Arginine improves muscle performance. 68) L-Arginine improves glucose uptake into muscle cells.

Nervous System

69) L-Arginine may be useful for the treatment of Alzheimer's disease (due to its ability to repair damaged axons by increasing polyamines levels). 70) L-Arginine is essential for the regeneration of damaged axons of neurons (its role appears to be as an agent for degrading proteins that have been damaged through axon injury). 71) L-Arginine facilitates the potentiation of long-term memory (by stimulating the production of nitric oxide (NO) - a neurotransmitter responsible for the potentiation (storage) of long-term memory.

72) L-Arginine improves memory and cognitive functions. 73) L-Arginine improves pituitary responsiveness and modulates hormonal control.

Sexual System

74) L-Arginine alleviates male impotence (by stimulating the production of nitric oxide, the endogenous chemical that stimulates erections in males). 75) L-Arginine is used to effectively treat erectile dysfunction by increasing nitric oxide production in the corpus cavernosum, the spongy tissue of the penis. L-Arginine alleviates male infertility by improving sperm count and sperm motility (due to its involvement in the manufacture of endogenous spermidine). 76) L-Arginine enhances libido (male and female). 77) L-Arginine enhances (female) sexual performance - due to its role in the production of nitric oxide in the clitoris (nitric oxide facilitates female orgasm in the clitoris). 78) L-Arginine improves (male) sexual performance by providing nitrogen to the nitric oxide (NO) molecule that is integral to the achievement of erections - L-Arginine produceserections that are bigger, harder and more frequent. It also increases male sexual endurance, i.e. erections that last for a longer period of time. 79) L-Arginine improves sperm count and sperm motility. 80) L-Arginine may improve prostate function. L-Arginine deficiency can cause atrophy of the testicles of the testes.

Skin/Hair

81) Hair loss (especially male pattern baldness) can occur as a result of L-Arginine deficiency. 82) L-Arginine concentrates in the skin. L-Arginine (applied topically) increases the level of vascular endothelial growth factor in the skin. 83) L-Arginine stimulates the proliferation of fibroblasts (skin cells). 84) L-Arginine is essential for and accelerates the healing of wounds (by stimulating the release of human growth hormone (HGH), stimulating the production of collagen and by stimulating the proliferation of fibroblasts). 85) L-Arginine accelerates the healing of burns. 86) L-Arginine dramatically accelerates the healing of wounds in people who have undergone surgery. 87) L-Arginine decreases post-operative infection and length of hospital stay. 88) L-Arginine improves scleroderma.

Safety

89) L-Arginine has been shown to be safe in the above studies as well as thousands of others. L-Arginine has been used safely in humans for the past 30 years.

Research References

- 1. Radner, W., et al. L-Arginine reduces kidney collagen accumulation and N-epsilon-(carboxymethyl)lysine in the aging NMRI-mouse. J Gerontol. 49(2):M44-M46, 1994.
- 2. Gianotti L, Macario M, Lanfranco F, et al. L-Arginine counteracts the inhibitory effect of recombinant human insulin-like growth factor I on the somatotroph responsiveness to growth hormone-releasing hormone in humans. J Clin Endocrinol Metab 2000 Oct;85(10):3604-8.
- 3. Ceremuzynski, L., et al. Effect of supplemental oral L-Arginine on exercise capacity in patients with stable angina pectoris. Am J Cardiol. 80:331-333, 1997.
- 4. Adams, R. R., et al. Oral L-Arginine improves endothelium-dependent dilatation and reduces monocyte adhesion to endothelial cells in young men with coronary artery disease. Atherosclerosis. 129(2):261-269, 1997.
- 5. Adams, M. R., et al. Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-Arginine but not vitamin C. Journal of the American College of Cardiology. 29(3):491-497, 1997.
- 6. Huk, I., et al. L-Arginine treatment alters the kinetics of nitric oxide and superoxide release and reduces ischemica/reperfusion injury in skeletal muscle. Circulation. 96:667-675, 1997.
- 7. Drexler H, et al. Correction of endothelial dysfunction in coronary microcirculation of

- hypercholesterolaemic patients by L-Arginine. The Lancet. 338:1546-50, 1991.
- 8. Huk, I., et al. L-Arginine treatment alters the kinetics of nitric oxide and superoxide release and reduces ischemica/reperfusion injury in skeletal muscle. Circulation. 96:667-675, 1997.
- 9. Koifman, B., et al. Improvement of cardiac performance by intravenous infusion of I-L-Arginine in patients with moderate congestive heart failure. Journal of the American College of Cardiology. 26(5):1251-6, 1995.
- 10. Quyyumi AA. Does acute improvement of endothelial dysfunction in coronary arterydisease improve myocardial ischemia? J Am Coll Cardiol 1998 Oct;32(4):904-11.
- 11. Khosh, F. Natural approach to hypertension. Alternative Medicine Review. 6(6), 2001.
- 12. Sisic D, Francishetti A, Frolich ED. Prolonged L-Arginine on cardiovascular mass and myocardial hemodynamics and collagen in aged spontaneously hypertensive and normal rats. Hypertension 1999 Jan;33(1 Pt 2):451-5.
- 13. Nakaki T, et al. L-Arginine induced hypotension. Lancet 1990Oct 20; 336(8721):1016-7.
- 14. Nagaya, N., et al. Short-term oral administration of L-Arginine improves hemodynamics and exercise capacity in patients with precapillary pulmonary hypertension. Am J Resp Crit Care Med. 163(4):887-891, 2001.
- Roberts, A. J., et al.
 Nutraceuticals: The Complete

- Encyclopedia of Supplements, Herbs, Vitamins and Healing Foods. Berkely Publishing Group. New York, USA. 2001:319.
- 16. Maxwell AJ, Anderson B
 Zapien MP, Cooke JP. Endothelial
 dysfunction in hypercholesterolemia
 is reversed by: nutritional product
 designed to enhance nitric oxide
 activity. Cardiovasc Drugs Ther 2000
 Jun;14(3):309-16.
- 17. Maxwell AJ, Anderson BE Cooke JP. Nutritional therapy for peripheral artery disease. Vasc Med 2000;5(1):11-19.
- 18. Wallace AW, Ratcliffe MB, Galindez D, Kong JS. L-Arginine infusion dilates coronary vasculature in patients undergoing coronary bypass surgery Aenesthesiology 1999 Jun;90(6):1577-8. This is third party information. This is for informational purposes only and is not intended to be used for marketing purposes.
- 19. Bode-Boger SM, Boger RH, et al. Differential inhibition of human platelet aggregation and thromboxane A 2 formation by L-Arginine in vivo and in vitro. Arch Pharmacol 1998; 357:143-150.
- 20. Le Yorneau T, Van Belle E, Corseaux D, et al . Role of nitric oxide in re-stenosis after experimental balloon angioplasty in the hypercholesterolemic rabbit. J Am CollCardiol 1999 Mar;33(3):876-82.
- 21. Suematsu Y, Ohtsuka T, et al.L-Arginine given after ischemic preconditioning can enhance cardioprotection in isolated rat hearts.

- Eur J Cardiothorac Surg 2001, Jun;19(6):873-9.
- 22. Hambrecht R, et al. Correction of endothelial dysfunction in chronic heart failure: additional effects of exercise training and oral L-Arginine supplementation. J Am Coll Cardiol 2000 Mar 1; 35(3):706-13.
- 23. Bode-Boger SM, Boger RH,et al. L-Arginine induces nitric oxide-dependent vasodilation in patients with critical limb ischemia. A randomized, controlled study. Circulation 1996 Jan 1; 93(1):85-90.
- 24. Miller, A. L. The pathogenesis, clinical implications, and treatment of intestinal hyperpermeability. Alternative Medicine Review. 2(5):330-345, 1997.
- 25. Segala, M. (editor). Disease Prevention and Treatment 3rd Edition. Life Extension Media. Florida, USA. 2000:202.
- 26. Sahin AS, Atalik KE, Gunel E, Dogan N. Nonadrenergic, noncholinergic responses of the human colon smooth muscle and the role of K+channels in these responses. Methods Find Exp Clin Pharmacol 2001 Jan-Feb;23(1):13-7.
- 27. Khattab MM, Gad MZ, Abdallah D. Protective role of nitric oxide in indomethacin- induced gastric ulceration by a mechanism independent of gastric acid secretion. Pharmacol Res 2001 May;43(5):463-7
- 28. Thomas S, Ramachandran A, Patra S, et al. Nitric oxide protects the intestine from the damage induced by

- laparotomy and gut manipulation. J Surg Res 2001 Jul;99(1):25-32.
- 29. Vallet B. Microthrombosis in sepsis. Minerva Anestesiol 2001 Apr;67(4):298-301.
- 30. Smith, S. D., et al. Improvement in interstitial cystitis symptoms scores during treatment with oral L-Arginine. J Urol. 158(3 Part 1):703-708, 1997.
- 31. Reckelhoff, J. F., et al. Long-term dietary supplementation with L-Arginine prevents age-related reduction in renal function. Am J Physiol. 272(6 Part 2):R1768-R1774, 1997.
- 32. Field, C. J., et al. Glutamine and L-Arginine: immunonutrients for improved health. Med Sci Sports Exerc. 32:(Suppl) S377-88, 2000.
- 33. Reynolds, J., et al. Immunologic effects of L-Arginine supplementation in tumor-bearing and non-tumor-bearing hosts. Annals of Surgery. 211:202-209, 19.
- 34. Cha-Chung, Y. Arrest of mammary tumor growth by I-L-Arginine.
 Biochemical and Biophysical
 Research Communications. 95:1306-1313, 1980.
- 35. Weisburger, J. Prevention by L-Arginine glutamate of the carcinogenicity of acetamide in rats. Toxicology and Applied Pharmacology. 14:163-175, 1969.
- 36. Rettura, G., et al. Supplemental L-Arginine increases thymic cellularity in normal and murine sarcoma virus-inoculated mice and increases the resistance to murine sarcoma virus tumour. J Par Ent Nutr. 3:409-416, 1979.
- 37. Heys SD, et al. Dietary supplementation with L-Arginine:

- Modulation of tumor infiltrating lymphocytes in patients with colorectal cancer. Br J Surg 1997 Feb;84(2):238-41.
- 38. Kirk, S. J., et al. L-Arginine stimulates wound healing and immune function in elderly human beings. Surgery. 114(2):155-159, 1993. This is third party information. This is for informational purposes only and is not intended to be used for marketing purposes.
- 39. Blechman, S., et al. L-Arginine boosts the immune system. Muscular Development. 38(10):72, 2001.
- 40. Barbul, A., et al. L-Arginine stimulates lymphocyte immune response in healthy human beings. Surgery. 90:224-251, 1981.
- 41. Ochoa, J. B., et al. Effects of L-Arginine on the proliferation of T lymphocyte subpopulations. J Parenteral Enteral Nutr. 25:23-29, 2001.
- 42. Moriguchi, S., et al. Functional changes in human lymphocytes and monocytes after in vitro incubation with L-Arginine. Nutrition Research. 7:719-729, 1987.
- 43. Dean, W. The neuroendocrine theory of aging part IV: the immune homeostat. Vitamin Research News. October 1999.
- 44. Efron, D. T., et al. Modulation of inflammation and immunity by L-Arginine supplements. Curr Opin Clin Nutr Metab Care. 1:531-538, 1998.
- 45. Wilmore, D. W. The effect of glutamine supplementation in patients following elective surgery and accidental injury. Journal of Nutrition.

- 131(9 Supplement):2543S-2549S, 2001.
- 46. Morric CR, Kuypers FA, et al. Patterns of L-Arginine and nitric oxide in patients with sickle cell disease with vaso-occlusive crisis and acute chest syndrome. J Ped Hemat/Onc 2000 Nov-Dec;22(6):515-20.
- 47. Braverman, Eric R. The Healing Nutrients Within. Keats Publishing, New Canaan, Connecticut, USA. 1997;221.
- 48. Wascher, T. C., et al. Vascular effects of L-Arginine: Anything beyond a substrate for NO synthase? Biochem Biophys Res Com. 234:35-38, 1997.
- 49. Rossitch E, Jr., et al. L-Arginine normalizes endothelial function in cerebral vessels from hypercholesterolemic rabbits. Journal of Clinical Investigation. 87(4):1295-1299, 1991.
- 50. Ryzenhov, V. E., et al. Action of L-Arginine on the lipid and lipoprotein content in blood serum of animals. Voprosy Meditsinskoi Khimi. 30(6):76-80. 1984.
- 51. Radner, W., et al. L-Arginine reduces kidney collagen accumulation and N-epsilon-(carboxymethyl)lysine in the aging NMRI-mouse. J Gerontol. 49(2):M44-M46, 1994.
- 52. Piatti, P. M., et al. Long-term oral L-Arginine administration improves peripheral and hepatic insulin sensitivity in type 2 diabetic patients. Diabetes Care. 24(5):875-880, 2001.
- 53. Wascher, T. C., et al. Effects of low-dose L-Arginine on insulin mediated vasodilation and insulin

- sensitivity. Eur J Clin Invest. 27:690-695, 1997.
- 54. Giugliana D, et al. Vascular effects of acute hyperglycemia are reversed by L-Arginine. Circulation 1997; 95(7):1783-90.
- 55. Mohan IK, Cas UN. Effects of L-Arginine-nitric oxide system on chemical induced diabetes mellitus. Free Radic Biol Med 1998 Nov 1;25(7):757-65.
- 56. L-Arginine improves blood flow and exercise capacity. Life Enhancement. February 2002:23-26.
- 57. Beall, C. M., et al. Pulmonary nitric oxide in mountain dwellers. Nature. 414(6862):411-412, 2001.
- 58. De Gouw HW, Verbruggen MB, Twiss IM, Sterk PJ. Effect of oral L-Arginine on airway hyperresponsiveness to histamine in asthma. Thorax 1999 Nov;54(11):1033-5.
- 59. Moss, Ralph W. Cancer Therapy: The Independent Consumer's Guide to Non-Toxic Treatment & Prevention. Equinox Press, Brooklyn, New York, USA. 1992:285-287.
- 60. Khedara A, Kawai Y Kayashita J Kato N. Feeding rats the nitric oxide synthase inhibitor, L-N(omega) nitroL-Arginine, elevates serum triglycerides and cholesterol and lowers hepatic fatty acid oxidation. J Nutr 1996 Oct;126(10):2563-7.This is third party information. This is for informational purposes only and is not intended to be used for marketing purposes.
- 61. Gianotti L, Macario M, Lanfranco F, et al. L-Arginine counteracts the inhibitory effect of recombinant human insulin-like growth factor I on the somatotroph responsiveness to growth hormone-releasing hormone

- in humans. J Clin Endocrinol Metab 2000 Oct;85(10):3604-8.
- 62. Ashish, D., et al. Nitric oxide modulates fracture healing. Journal of Bone and Mineral Research. 15(2):342-351, 2000.
- 63. Barbul, A. L-Arginine: biochemistry, physiology, and therapeutic implications. J Parent Ent Nutr. 10:227-238, 1986.
- 64. Braverman, Eric R. The Healing Nutrients Within. Keats Publishing, New Canaan, Connecticut, USA. 1997:220.
- 65. Visser, J. J., et al. L-Arginine supplementation in the prevention and treatment of osteoporosis. Medical Hypotheses. 43(5):339-342, 1994.
- 66. L-Arginine improves blood flow and exercise capacity. Life Enhancement. February 2002:23-26.
- 67. Stevens BR, Godfrey MD, Kaminski TW, Braith RW. High intensity dynamic human muscle performance enhanced by a metabolic intervention. Med Sci Sports Exerc 2000 Dec;32(12):2102-2104.
- 68. Bradley SJ, Kingwell BA, McConell GK. Nitric oxide synthase inhibition reduces leg glucose uptake but not blood flow during dynamic exercise in humans. Diabetes 1999 Sep; 48(9):1815-21.
- 69. Tarkowski E, et al. Intrathecal release of nitric oxide in Alzheimer's disease and vascular dementia.

 Dement Geriatr Cogn Disord 2000

 Nov- Dec;11(6):322-6.
- 70. Cestaro, B. Effects of L-Arginine, S-adenosylmethionine and polyamines on nerve regeneration.

- Acta Neurol Scand Suppl. 154:32-41, 1994.
- 71. Pautler EL. The possible role and treatment of deficient microcirculation regulation in age-associated memory impairment. Med Hypotheses 1994 Jun;42(6):363-6.
- 72. Pandhi P, Balakrishnan S. Cognitive dysfunction induced by phenytoin and valproate in rats: effect of nitric oxide. Indian J Physiol Pharmacol 1999 Jul; 43(3):378-82.
- 73. di Luigi L, Guidetti L, Pigozzi F, et al. Acute amino acid supplementation enhances pituitary responsiveness in athletes. Med Sci Sports Exerc 1999 Dec;31(12):1748-54.
- 74. Chen, J., et al. Effect of oral administration of high-dose nitric oxide donor L-Arginine in men with organic erectile dysfunction: results of a double blind, randomized, placebocontrolled study. British Journal of Urology. 83:269-273, 1999.
- 75. Papp, G., et al. [The role of L-Arginine and arginase activity in fertility]. Andrologia. 11:37-41, 1979.
- 76. Women and sex drive. Life Enhancement. December 1999.
- 77. Block, W. Sexual enhancement available to women too. Viagra duality: better to NO? Life Enhancement. July 1998:15-18.
- 78. Chen J, Wollman Y, Chernichovsky T, et al. Effect of high dose nitric oxide donor L-Arginine in

- men with organic erectile dysfunction. BJU Int 1999 Feb;83(3):269-73.
- 79. Keller, D. W., et al. L-Arginine stimulation of human sperm motility in vitro. Biol Reprod. 13:154-157, 1975.
- 80. Aikawa K, Yokota T, et al. Endogenous nitric oxide-mediated relaxation and nitrinergic innervation in the rabbit prostate: the change with aging. Prostate 2001 Jun 15;48(1):40-6.
- 81. Revolutionary treatments for baldness: The hair re-growth formulas of Peter Proctor, M. D., Ph.D. Life Extension. 3(3):2-8, 1997. This is third party information. This is for informational purposes only and is not intended to be used for marketing purposes.
- 82. Block, W. The science of keeping your skin young. Life Enhancement. January 1998:15-18.
- 83. Kirk, S. J., et al. L-Arginine stimulates wound healing and immune function in elderly human beings. Surgery. 114(2):155-160, 1993.
- 84. Barbul, A., et al. L-Arginine: Supplemental L-Arginine, wound healing, and thymus: L-Argininepituitary interaction. Surgical Forum. 29:93, 1978.
- 85. Yu, Y., et al. Kinetics of plasma L-Arginine and leucine in pediatric

- burn patients. American Journal of Clinical Nutrition. 64(1):60-66, 1996.
- 86. Tepaske, R., et al. Effect of preoperative oral immune-enhancing nutritional supplement on patients at high risk of infection after cardiac surgery: a randomised placebocontrolled trial. Lancet. 358:696-701, 2001.
- 87. Braga M, Gianotti L Raedelli G, et al. Perioperative immunonutrition in patients undergoing cancer surgery: results of a randomized doubleblind phase 3 trial. Arch Surg 1999 Apr;134(4):428-33.
- 88. Freedman RR, Girgis R, Mayers MD. Acute effect if nitric oxide on Raynaud's phenomenon in scleroderma. Lancet 1999 Aug 28:354;739.
- 89. Fideieff HL,et al. Reproducibility and safety of the L-Arginine test in normal adults. Medicina (B Aires) 1999; 59(3):249-53.

DISCLAIMER: Individual results may vary. This website content is for informational purposes only and is not meant to replace the guidance of your licensed healthcare practitioner. Statements on this website have not been evaluated by the Food and Drug Administration. Information and products are meant for general use only and are not intended to diagnose, cure, treat, or prevent any disease or provide medical advice. Any decision to use supplements to support your specific needs should be considered in partnership with your licensed healthcare practitioner. Any questions you may have concerning your use of drugs, medications, or supplements should be directed to your healthcare provider.

